



- TİTREŞİMİ AZALTMA
- DAYANIKLI ve UZUN ÖMÜRLÜ
- AYARLANABİLİRLİK
- SÖNÜMLEME

PSE SERİSİ

Şok Emiciler

ÖRNEK KODLAMA: PSE-0806

PSE	-	08	06
Seri	Ürün Tipi	Bağlantı Ölçüsü	Strok
PSE	- :Standart	08	06
		10	08
		12	10
		14	12
		16	16
		20	20
	A: Ayarlanabilir	25	25
		30	30
		40	40
		50	50
		36	80

ÜRÜN BİLGİLERİ ve SAYISAL KODLAR // 1

ÜRÜN KODU	PSE-0806	PSE-1008	PSE-1210	PSE-1410	PSE-1412	PSE-1416	PSE-1425	PSE-1612	PSE-1616
SAYISAL KOD	609900000001	609900000002	609900000003	609900000004	609900000005	609900000006	609900000007	609900000008	609900000009
Strok	6	8	10	10	12	16	25	12	16
Maks. Absorbe Edilen Enerji [N·m (E1)]	2	4	5	5	15	20	25	30	35
Maks. Absorbe Edilen Enerji/saat [(N·m/h) (Vb)]	8.80	15.20	17.64	28.00	30.00	35.00	40.00	45.00	50.00
Maks. Etkili Kütle [(kg) (Me)]	0.5 ila 6.0	2.0 ila 9.0	5.0 ila 30.0	8.0 ila 35.0	8.0 ila 40.0	8.0 ila 45.0	10.0 ila 55.0	10.0 ila 60.0	10.0 ila 65.0
Maks. Darbe Hızı (m/s) (V)	0.5 ila 2.0	0.8 ila 3.0	0.8 ila 3.0	0.8 ila 3.0	0.8 ila 3.0	0.8 ila 3.0	0.8 ila 3.0	0.8 ila 3.0	0.8 ila 3.0
Çalışma Sıcaklığı (°C)	-10...+80								
Ürün Ağırlığı (g)	11	20	31,5	78	80	80	95	120	150

ÜRÜN BİLGİLERİ ve SAYISAL KODLAR // 2

ÜRÜN KODU	PSE-2016	PSE-2020	PSE-2025	PSE-2030	PSE-2050	PSE-2525	PSE-2530	PSE-2540	PSE-2550	PSE-2580
SAYISAL KOD	60990000010	60990000011	60990000012	60990000013	60990000014	60990000015	60990000016	60990000017	60990000018	60990000019
Strok	16	20	25	30	50	25	30	40	50	80
Maks. Absorbe Edilen Enerji [N·m (E1)]	35	40	40	45	50	80	100	120	98	150
Maks. Absorbe Edilen enerji/saat [(N·m/h) (Vb)]	40.00	40.00	40.00	40.00	48.00	54.00	65.00	75.00	90.00	120.00
Maks. Etkili Kütle [(kg) (Me)]	10.0 ila 100.0	15.0 ila 120.0	15.0 ila 120.0	15.0 ila 125.0	15.0 ila 145.0	35.0 ila 350.0	35.0 ila 350.0	40.0 ila 400.0	15.0 ila 160.0	20.0 ila 200.0
Maks. Darbe Hızı (m/s) (V)	1.0 ila 3.5	1.0 ila 3.5	1.0 ila 3.5	1.0 ila 3.5	1.0 ila 3.5	1.0 ila 4.0	1.0 ila 4.0	1.0 ila 4.0	1.0 ila 4.0	1.0 ila 4.0
Çalışma Sıcaklığı (°C)	-10...+80									
Ürün Ağırlığı (g)	190	215	215	220	220	330	380	430	435	535


ÜRÜN BİLGİLERİ ve SAYISAL KODLAR // 3

ÜRÜN KODU	PSEA-1410	PSEA-1412	PSEA-1416	PSEA-1425	PSEA-1612	PSEA-1616	PSEA-2016	PSEA-2020	PSEA-2025
SAYISAL KOD	609900000104	609900000105	609900000106	609900000107	609900000108	609900000109	609900000110	609900000111	609900000112
Strok	10	12	16	25	12	16	16	20	25
Maks. Absorbe Edilen Enerji [N·m (E1)]	20	20	22	22	22	22	25	25	39
Maks. Absorbe Edilen enerji/saat [(N·m/h) (Vb)]	25000	25000	25000	25000	25000	25000	30000	30000	30000
Maks. Etkili Kütle [(kg) (Me)]	40	40	45	45	45	45	150	150	160
Maks. Darbe Hızı (m/s) (V)	3.0	3.0	3.0	3.0	3.0	3.0	3.5	3.5	3.5
Çalışma Sıcaklığı (°C)	-10...+80								
Ürün Ağırlığı (g)	84	84	90	90	120	120	230	230	240



ÜRÜN BİLGİLERİ ve SAYISAL KODLAR // 4

ÜRÜN KODU	PSEA-2030	PSEA-2050	PSEA-2525	PSEA-2530	PSEA-2540	PSEA-2550	PSEA-2580	PSEA-3650
SAYISAL KOD	609900000113	609900000114	609900000115	609900000116	609900000117	609900000118	609900000119	609900000120
Strok	30	50	25	30	40	50	80	50
Maks. Absorbe Edilen Enerji [N·m (E1)]	45	55	85	95	100	98	150	300
Maks. Absorbe Edilen enerji/saat [(N·m/h) (Vb)]	40000	45000	54000	60000	80000	90000	120000	100000
Maks. Etkili Kütle [(kg) (Me)]	180	190	200	230	300	300	350	750
Maks. Darbe Hızı (m/s) (V)	3.5	3.5	3.5	3.5	3.5	4.0	4.0	3.0
Çalışma Sıcaklığı (°C)	-10...+80							
Ürün Ağırlığı (g)	300	325	350	365	455	455	585	1100

PSE Serisi Ürün Ölçüleri



ÜRÜN KODU	*	A	C	D	E	F	H	J	I
PSE-0806	M8x1.0	50	33	3	6	6.6	11	12.5	3
PSE-1008	M10x1.0	60	38	3	7	8.6	12.7	14.5	3
PSE-1210	M12x1.0	70	45.5	3	9	10.3	12.7	14.5	3
PSE-1410	M14x1.5	97	65	4	12	12	19	21.6	5
PSE-1412	M14x1.5	106	72	4	12	12	19	21.6	5
PSE-1416	M14x1.5	110	72	4	12	12	19	21.6	5
PSE-1425	M14x1.5	138	90	4	12	12.5	19	21.6	5
PSE-1612	M16x1.5	108,5	79.5	4	11	12	19	21.6	7
PSE-1616	M16x1.5	112,5	79.5	4	11	12	19	21.6	7
PSE-2016	M20x1.5	127	85	6	16	18	26	29.7	8
PSE-2020	M20x1.5	147.5	101	6	16	18	26	29.7	8
PSE-2025	M20x1.5	122.5	89.5	6	16	18	26	29.7	8
PSE-2030	M20x1.5	156	101	6	16	18	26	29.7	8
PSE-2050	M20x1.5	220	145	6	16	18	26	29.7	8
PSE-2525	M25x1.5	154	101	8	19	22	32	36.7	10
PSE-2530	M25x1.5	159	101	8	19	22	32	36.7	10
PSE-2540	M25x1.5	218	117	8	33	22	32	36.7	10
PSE-2550	M25x1.5	240	100	8	20	22	32	36.7	10
PSE-2580	M25x1.5	332	100	8	20	22	32	36.7	10

PSEA Serisi Ürün Ölçüleri


ÜRÜN KODU	*	A	C	D	E	F	H	J	I
PSEA-1410	M14x1.5	102	65	4	12	12	19	21.6	5
PSEA-1412	M14x1.5	111	72	4	12	12	19	21.6	5
PSEA-1416	M14x1.5	113	72	4	12	12	19	21.6	5
PSEA-1425	M14x1.5	143	90	4	12	12	19	21.6	5
PSEA-1612	M16x1.5	110	87	4	11	12	19	21.6	7
PSEA-1616	M16x1.5	114	87	4	11	12	19	21.6	7
PSEA-2016	M20x1.5	132	85	6	16	18	26	29.7	8
PSEA-2020	M20x1.5	152	101	6	16	18	26	29.7	8
PSEA-2025	M20x1.5	157	101	6	16	18	26	29.7	8
PSEA-2030	M20x1.5	162	101	6	16	18	26	29.7	8
PSEA-2050	M20x1.5	226	145	6	16	18	26	29.7	8
PSEA-2525	M25x1.5	160	101	8	19	22	32	36.7	10
PSEA-2530	M25x1.5	165	101	8	19	22	32	36.7	10
PSEA-2540	M25x1.5	218	117	8	34	22	32	36.7	10
PSEA-2550	M25x1.5	247.5	100	8	20	22	32	36.7	10
PSEA-2580	M25x1.5	340	100	8	20	22	32	36.7	10
PSEA-3650	M36x1.5	248	134	10	25.8	35	46	53	15